

## ANALYSIS OF THE STATE OF CHARGE OF RECHARGEABLE DC SOURCES TO OPTIMIZE THEIR EMBEDDED CONTROL SYSTEMS

Valentin CIMPOERU<sup>1</sup>, Costin CEPIŞCĂ<sup>2</sup>

*In this paper the behavior of rechargeable DC sources is approached in different states of charge (SoC), using PSPICE simulation program. The simulation was performed for both the assembly in series and in parallel comprising batteries based on Li-ion cells. The results demonstrated that different states of charge of the cells that are forming the battery influence considerably the output current intensity which can be produced, reducing the battery lifespan and causing replacement sooner than expected. Thus, optimizing the control systems of the battery, including monitoring and related adjustment of functioning of the cells gives the possibility to enhance its lifetime and intensity of use.*

**Keywords:** rechargeable batteries, modeling, cells imbalance, SoC, control system

### 1. Introduction

Different economic sectors have significant needs related to the use of rechargeable batteries. For example, household electronics (mobile phones, laptops, PDAs, etc.) use relatively small batteries with high energy density and low power. Other sectors such as the electric car industry are using renewable high capacity rechargeable batteries with higher voltages and currents. Because the cells, including Li-ion types, have the voltage at the terminals of the order of volts, the batteries are obtained by connecting cells in series (for high voltage), parallel (for the current intensity) or mixed [1].

When using the rechargeable electrochemical cells to obtain multiple cell batteries, different aspects must be taken into account as, for example, safety. Thus, when a Li-ion battery is charged to a voltage exceeding 4.2 V, it can be damaged due to thermal effects which may even lead to fire [2]; therefore it is strongly recommended to implement overvoltage protection systems.

A second aspect is the need to consider the life span of the cell and therefore that of the battery. When exceeding values of electrical quantities specific to the charging procedure, some accelerated electrochemical phenomena

<sup>1</sup> Eng., PhD student, Electrical Engineering Faculty, University POLITEHNICA of Bucharest, Romania, e-mail: valentin.cimpoeru@ymail.com

<sup>2</sup> Prof., Electrical Engineering Faculty, University POLITEHNICA of Bucharest, Romania

degradation occurs within the cell which leads to a dramatical reducing of the duration of use [3].

For example, increasing the charge voltage of 4.2 V to 4.25 V, the degradation of the cell is 30%.

A third consideration is the possibility of using cells that are only partially loaded. After a battery electronic protection acted, at least one of the cells will be charged only partially and the voltage at the terminals Li-ion battery will be lower than 4.2 V multiplied by the number of cells connected in series [4].

One aspect that could lead to battery damage is the limited use of energy from the battery cells. When one of the cells reaches the imposed discharge limit (2.7 V for the LiCoO<sub>2</sub> cell), the protection system switches off the discharge, even if all the other cells are not discharged up to the required level [5]... [10].

It can be observed that the differences in voltage values among the battery cells may cause problems such as different open circuit electromotive force voltages (EFV) of the cells and also different values of the internal resistance of the cell components in discharge operation [5] ... [7].

The differences between the state of charge (SoC) of the cells represent the cause of the voltage differences in open circuit (OCV - open circuit voltage) operation.

The relationship  $OCV = f(SoC, T)$  highlights the electrochemical process and shows that a change in the state of charge determine a difference in the open circuit voltage. For example, if between two Li-ion battery cells is a voltage difference of 1%, then their states of charge will generate a voltage difference of about 10 mV at the end of charge and of 100 mV ÷ 500 mV at the end of the discharge process [8], [9].

In this paper, the phenomena that may lead to damage multiple cells rechargeable batteries are analyzed, by modeling and numerical simulation. The results include the parameters used in the embedded control systems designed for rechargeable batteries.

## 2. Modeling batteries with different charge states of the cells

### 2.1. Modeling the unbalanced battery with cells with different states of charge

Modeling of circuits for Li-ion battery refers, initially, to cells connected in parallel, in order to achieve high currents. Using PSPICE software package, various structures are analyzed starting from batteries with cells in the same SoC to the batteries with maximum imbalance between cells SoC. The cases studied here are:

- a) 4 cells with identical electromotive force voltage and internal resistance, 100% SoC;
- b) 3 cells with 100% SoC and 1 cell with 50% SoC;
- c) 3 cells with 100% SoC and 1 cell with 15% SoC.

Table 1

**Electrical parameters of cells**


Battery type	Cell EFV (V)	Internal resistance ( $\Omega$ ) at 20°C			External resistance ( $\Omega$ )
		SOC 100%	SOC 50%	SOC 15%	
Li-ion	3,6	0,1			1
	3,2		0,25		10

The values of electromotive force voltage and of internal resistance of Li-ion cells to different SoC's are specified by the manufacturer - Table 1. External circuit resistances are about  $1 \Omega$  and, respectively  $10\Omega$ .


a. *Battery with four 100% SoC cells connected in parallel*

a1) External resistance  $R = 1 \Omega$  - Fig. 1


Currents of each of the four cells are identical  $I_1 = I_2 = I_3 = I_4 = 0.878 \text{ A}$  and the current  $I_5$  through external resistor are their sum. The battery voltage  $U_b = 3.512 \text{ V}$  is less than EFV in normal SoC (3.6 V) due to the voltage drops across the internal resistance. In the external circuit only 88.3% of the total electrical energy produced by the electrochemical conversion in these four cells is used, the difference being losses by Joule effect within the battery.



a) Circuit scheme

Fig. 1. Battery with 4 cells SoC=100%, external resistance  $R=1\ \Omega$ a2) External resistance  $R = 10\ \Omega$  - Fig. 2

It can be observed the similarity of currents intensity through the cells, but their value is smaller than in the previous case  $I_1=I_2=I_3=I_4=0.0897\text{A}$ , the voltages drop across the external resistances decreased so that 99% of the energy produced by the electrochemical conversion battery cells may be obtained in the external circuit. Terminal voltage  $U_b=3.591\text{ V}$  is closer to the voltage in open circuit operation.


Fig. 2. Battery with 4 cells SoC 100%, external resistance  $R=10\ \Omega$ 

Modeling these circuits make it clear that, in case of cells with identical SoC, there is no imbalance of the state of charge of the cells during operation.


b. *Battery with 3 cells SoC 100% and one cell SoC 50%*b1) External resistance  $R = 1\ \Omega$  - Fig. 3

The currents through the three identical cells are similar  $I_1 = I_2 = I_3 = 1.485$  A and through the fourth cell, which has a state of charge SoC of 50%, the current is reversed, meaning that this cell is loaded at the expense of the stored energy in the other three cells.

The available external energy is only 86% of that produced by the electrochemical conversion in the full charged cells, less than in the case of identical cells. The voltage at the battery terminals,  $U_b = 3.451V$ , is smaller than in the undifferentiated cells case with nearly 2%.



a) Circuit scheme



b) Simulation results

Fig. 3. Battery with 3 cells SoC 100% and a cell SoC=50%, external resistance  $R=1 \Omega$

#### b2) External resistance $R = 10 \Omega$ - Fig. 4

The currents through the three identical cells are identical  $I_1 = I_2 = I_3 = 0.574$  A and through the fourth cell, which has a state of charge SoC of 50%, the

current is reversed, meaning that this cell is loaded at the expense of the energy stored in the other three cells.

The intensity of current  $I_5$  has a value of almost 3 times bigger than the one corresponding to “normal cells” circuit. From the energy produced in the full charged cells only 22% reach in the external circuit, the rest contributing to the loading of the unbalanced cell.





Fig. 4. Battery with 3 cells SoC 100% and a cell SoC = 50%, external resistance  $R=10 \Omega$


### c. Battery with 3 cells SoC 100% and 1 cell SoC = 15%

This is the case in which one of the four cells is almost fully discharged.

#### c1) External resistance $R = 1 \Omega$ - Fig. 5



a) Circuit scheme




b) Simulation results

Fig. 5. Battery with 3 cells SoC 100% and a cell SoC = 15%, external resistance  $R=1 \Omega$ 

Compared to the previous circuit, in this case in which the fourth cell has 15% SoC, the charging current is increased even more at the expense of the energy of the other three cells. A percentage of only 59% of the energy produced by the electrochemical effect in the three cells 100% SoC is used by the external circuit, the energy used to balance the cell with SoC 15% being the biggest of the studied cases. It is worth to mention the fact that the thermal regime of the system depreciates due to Joule effect which consequently increases the temperature of the battery.

### c2) External resistance $R = 10 \Omega$ - Fig. 6

In this case the flowing out current is reduced and the imbalance leads to an increase of the currents produced by the three cells SoC 100% and of the charging current of the fourth cell, almost empty.



b) Simulation results

Fig. 6. Battery with 3 cells SoC 100% and 1 cell SoC = 15%, external resistance  $R=10 \Omega$ 

It is obvious that only the terminal voltage indicator is not sufficient to highlight imbalances inside the battery as long as there is no other information regarding the significant currents that could lead to undesirable thermal effects. From the results obtained from modeling cases, these situations may occur during the operation of batteries, and one can conclude that:

- the intensity of the output current drops out when there are imbalances between cells SoC;
- the currents through the battery cells can have different directions in the SoC imbalance situation, some cells being loaded at the expense of energy stored in those cells with 100% state of charge SoC;
- the energy available in the external circuit can become extremely small in the case of a strong imbalance between the battery cells;
- the terminal voltage can attain small values in the case of imbalance between cells, indicating a possible damage of that battery;
- the observed phenomena attenuate when the external circuit resistance increases, which corresponds to lower currents.

## 2.2. Modeling of Li-ion batteries for IT equipment

The battery structure is the following: four groups of cells in series, each group being composed of three cells connected in parallel. The cases studied are:

- a. *All cells with 100% SoC.*

- a1) External resistance  $R=1\Omega$

In Fig. 7 we can observe the fact that the current intensity through each cell is the same (4.235 A), and the current in the external circuit is  $I_{out} = 12.7$  A. Terminal voltage is set  $U_b = 12.7$  V.





Fig. 7. Four batteries with all cells SoC=100%, external resistor  $R=1\Omega$

a2) External resistance  $R=10\Omega$  - Fig. 8


In this case, there is a decrease of the current through all the cells (0.473 A) and through the external circuit. Terminal voltage increases to the value of  $U_b = 14.21$  V.

Fig. 8. Simulation results  $R=10 \Omega$ 


b. *Battery with a discharged cell at 15% SoC and all the others cells at 100% SoC*

### b1) External resistance $R=1\Omega$

The cell with the level of charge of 15% is charged with a current of 0.86 A by other sources, the current in the external circuit drops to 12.48 A and the value of the terminal voltage drop up to  $U_b = 12.48V$ . In the external circuit reach 64% of the energy produced by the rest of 11 cells and the rest of energy balances the twelfth cell and cover the internal cell voltage drops.



a) Circuit scheme



b) Simulation results

Fig. 9. Battery with a discharged cell at 15% SoC and all the other cells at 100% SoC, external resistance  $R=1\Omega$

b2) External resistance  $R=10\Omega$  -Fig. 10.

It can be observed from the waveforms in Figure 10 that current direction through the discharged cell change.

### 3. Conclusions

This paper presents the analysis of cell structure in batteries, based on numerical modeling of phenomena in batteries with Li-ion cells. The modeling was done using circuit scheme with time constant elements, such as internal resistors and battery voltage, the goal being to achieve a solution to determine the values of currents and powers at a well-defined time.




Fig.10. Simulation results, external resistance  $R=10\Omega$

The study was conducted on a simple structure of the battery with few cell, made from Li-ion, as frequently used in IT equipments.

The imbalance between different states of charge (SoC) of the cells can lead to real change of overall parameters and the battery overheating. The modeling results show that cells with various discharge levels lead to high imbalances among cells and to the way the energy produced by electrochemical effect is transferred for charging the strong imbalanced cells. In order to protect the battery, it is necessary to eliminate imbalances of rechargeable battery cells, through the use of control systems, designed in accordance with the capacity and construction of the battery.

### Acknowledgements

This work was supported by the Project POSDRU/ID 76813.

### R E F E R E N C E S

- [1] *Stephen Beeby and Neil White*, Energy Harvesting for Autonomous Systems, Artech House,2010
- [2] *Ahmad Pesaran, Matt Keyser, Gi-Heon Kim, Shriram Santhanagopalan, Kandler Smith*, Tools for Designing Thermal Management of Batteries in Electric Drive Vehicles, Large Lithium Ion Battery Technology & Application Symposia Advanced Automotive Battery Conference Pasadena, February 4-8, 2013
- [3] *Yevgen Barsukov and Jinrong Qian*, Battery Power Management for Portable Devices, Artech House,2013
- [4] *Davide Andrea*, Battery Management Systems for Large Lithium Ion Battery Packs, Artech House,2010
- [5] *Steve Taranovich*, Proper Lithium-Ion battery charging and safety,EDN, vol.34, 2012
- [6] *David Gunderson*, Battery-charge control: dedicated ICs or microcontrollers?, Micro Power Electronics Inc., December 1, 2011
- [7] *W.S. Kruijt, H.J. Bergveld, P.H.L. Notten*, Electronic-Network Model of a Rechargeable Li-ion Battery, Nat.Lab. Technical Note 265/98, Philips Internal Report, October 1998
- [8] *V. Chinnappan*, Important guidelines and safety precaution for battery management in UPS and other applications, IIA technical Report Series, No.6, pp.1-9, 2011
- [9] \*\*\* Testing Lithium-Ion Batteries Using TEMPPoint, [www.datatranslation.com](http://www.datatranslation.com)
- [10] \*\*\* Voltage Protection for 3-Series to 6-Series Cell Lithium-Ion/Polymer Batteries, bq77PL157A4225, Circuit, Texas Instruments Incorporated, 2011